

SONIC LITE SONIC Ultra-Lite Travel Trailers





Designed for campers, by campers.

SONIC LITE

Venture RV's single axle Sonic Lite offers solid construction, with floorplans starting out at a fuel-saving 3,000 pounds! Sonic Lite features the most interior storage in its class. Interiors are surprisingly spacious – there's ample storage and Lite boasts many of the same features as Sonic, on a more compact scale.

Both Sonic Lite and Sonic are engineered with a one-piece seamless fiberglass roof system. By arching the roof front to back, this system provides a more durable roof. When it rains, the water runs fore and aft.



The Sonic Lite 169VUD offers a double bunk, large 65" x 48" dinette, a 60" x 75" queen bed and large dry bath. All kitchens feature a 8 CU FT electric double-door refrigerator for ample food storage, 2-burner stainless steel cooktop, convection microwave, roller ball bearing drawer guides, and cabinets with mortise and tenon hardwood cabinet doors.



Sonic Lite bedrooms feature overhead storage, full-length shirt closet and StorMore nightstands with 110V outlet and USB charging port.



Double bunk floorplans offer Teddy Bear bunk mattresses, and each bunk has its own window.



Bathrooms include porcelain foot-flush toilet, tub or shower surround and skylight.

SONIC

Families on the go want it both ways

– maximum towing efficiency, plus
uncompromising comfort and style. Sonic
delivers; its ultra-lightweight, tandem-axle
travel trailers (with starting dry weight
at 3,800 pounds) are designed for smaller
tow vehicles, yet equipped with upscale
amenities usually seen in motorhomes.
Livable and surprisingly spacious, Sonic
offers 82" ceilings, a residential kitchen and
ample storage to keep clutter at bay. Sonic's
solid construction with enclosed and heated
underbelly offers peace of mind and all the
comforts of home.






SN231VRL






SONIC LITE FLOORPLANS



SL150VRB

UVW - 3,180 lbs. | Exterior Length - 19'11" | Sleeps - 2



SL150VRK

UVW - 3,080 lbs. | Exterior Length - 19'1" | Sleeps - 2



SL169VMK

UVW - 3,450 lbs. | Exterior Length - 21'1" | Sleeps - 4



SL169VRK

UVW - 3,580 lbs. | Exterior Length - 22'1" | Sleeps - 4



SL169VUD

UVW - 3,520 lbs. | Exterior Length - 21'10" | Sleeps - 6



NEW

SL170VBH

UVW - 3,620 | Exterior Length - 22'10" | Sleeps - 6

	SL150VRB	SL150VRK	SL169VMK	SL169VRK	SL169VUD	SL170VBH
UVW (Unloaded Vehicle Weight)*	3,180	3,080	3,450	3,580	3,520	3,620
Dry Hitch Weight*	480	360	380	380	460	580
Dry Axle Weight*	2,700	2,720	3,070	3,200	3,060	3,040
CCC (Cargo Carrying Capacity)	705	720	880	750	880	830
Interior Height	82"	82"	82"	82"	82"	82"
Exterior Height with A/C	9'11"	9'11"	9'11"	9'11"	9'11"	9'11"
Exterior Width	90"	90"	90"	90"	90"	90"
Exterior Length**	19′ 11″	19'1"	21′1″	22'1"	21'10"	22'10"
Refrigerator (Cubic Feet)	8	8	8	8	8	8
Water Heater Cap. (Gal. G/E w/DSI)	6	6	6	6	6	6
Fresh Water Capacity (Gallon)	38	38	38	38	38	38
Black Water Capacity (Gallon)	30	30	30	30	30	30
Gray Water Capacity (Gallon)	30	30	30	56	30	30
LP Gas Capacity (Lbs.)	20	20	20	20	20	20
Furnace BTUs (1,000s)	20	20	20	20	20	20
Tire Size	15"	15"	15"	15"	15"	15"
Awning	11'	11′	12′	13'	13′	11'

 $[\]hbox{*This weight reflects the rolling average unit weight for each model. Your trailer weight will vary according to optional equipment.}$

**Exterior length is measured from rear of bumper to leading edge of coupler.

SONIC FLOORPLANS



SN190VRB

UVW - 3,880 lbs. | Exterior Length - 23'3" | Sleeps - 4



SN220VBH

UVW - 4,480 lbs. | Exterior Length - 26'7" | Sleeps - 6



SN231VRK

UVW - 4,480 lbs. | Exterior Length - 26'11" | Sleeps - 6



SN241VFK

UVW - 4,520 lbs. | Exterior Length - 28' 4" | Sleeps - 6



SN211VDB

UVW - 4,560 lbs. | Exterior Length - 27' | Sleeps - 8



SN220VRB

UVW - 4,720 lbs. | Exterior Length - 27' | Sleeps - 4



SN231VRL

UVW - 4,520 lbs. | Exterior Length - 26'11" | Sleeps - 6



SN241VFL

UVW - 4,600 | Exterior Length - 28' 4" | Sleeps - 6

	Childon/DD	CNI244V/DD	CN12201/DII	CN12201/IDD	CNIDOM/DI/	CN 12241 /DI	CNID 441 /FI/	CNID 40 /FI
	SN190VRB	SN211VDB	SN220VBH	SN220VRB	SN231VRK	SN231VRL	SN241VFK	SN241VFL
UVW (Unloaded Vehicle Weight)*	3,880	4,560	4,480	4,720	4,480	4,520	4,520	4,600
Dry Hitch Weight*	390	560	440	420	420	520	610	540
Dry Axle Weight*	3,490	4,000	4,040	4,300	4,060	4,000	3,910	4,060
CCC (Cargo Carrying Capacity)	1,895	1,330	1,370	1,120	1,335	1,340	1,400	1,270
Interior Height	82"	82"	82"	82"	82"	82"	82"	82"
Exterior Height with A/C	10′ 4″	10'4"	10'4"	10'4"	10' 4"	10'4"	10'4"	10' 4"
Exterior Width	90"	90"	90"	90"	90"	90"	90"	90"
Exterior Length**	23′3″	27'	26'7"	27'	26'11"	26'11"	28' 4"	28'4"
Refrigerator (Cubic Feet)	8	8	8	8	8	8	8	8
Water Heater Cap. (Gal. G/E w/DSI)	6	6	6	6	6	6	6	6
Fresh Water Capacity (Gallon)	39	39	39	39	39	39	39	39
Black Water Capacity (Gallon)	30	30	30	30	30	30	30	30
Gray Water Capacity (Gallon)	30	30	30	30	60	30	60	30
LP Gas Capacity (Lbs.)	40	40	40	40	40	40	40	40
Furnace BTUs (1,000s)	20	20	20	20	20	20	20	20
Tire Size	15"	15"	15"	15"	15"	15"	15"	15"
Awning	13'	14′	13'	13'	17'	17'	17'	17'

 $[\]hbox{*This weight reflects the rolling average unit weight for each model. Your trailer weight will vary according to optional equipment.}$

**Exterior length is measured from rear of bumper to leading edge of coupler.

SONIC	SONIC		SONIC LITE	SONIC	
BLAST 1.4	DISCOVERY 1.4		EXTERIOR	EXTERIOR	
PACKAGE	PACKAGE		LUXURY PKG	PACKAGE	
Х	Х	Panoramic automotive front window	Х	Х	Seamless one-piece fiberglass roof front
X	Х	Hand-glazed Heirloom Maple cabinet doors	.,		& rear profile
Χ	Χ	8 CUFT double-door refrigerator	X	X	Friction hinge entry door
X	Х	Wi-Fi prep	Х	Х	Battery disconnect switch
X	Х	Entry door w/clear-view window		Х	Fender guards
	Х	Furrion oven w/3-burner cooktop & glass cover	Х	Х	5/8" tongue & groove plywood floor decking
Χ	Х	New Euro-style dinette	Х	Х	Spread axles w/auto-adjust brakes
X	Х	HDMI/DVD stereo w/5.1 AMP USB charger	v		& EZ Lube hubs
X		Deep round stainless steel sink w/cover	Х	.,	NXG frame
	Х	Dish drying sink cover		Х	NXG Huck-bolt frame
	Х	Aluminum wheels	Х	Х	(4) angled scissor jacks w/footpads
X	Х	Venture LevelMate PRO	Х	Χ	Large grab handle
Х	Х	Lighted power tongue jack	Х	Х	4" tube bumper sewer hose storage
Χ	Х	Go Power mounted solar prep	X	Χ	Prewired for Furrion backup camera
Х	Х	Motion light in bathroom	Х	Х	Dedicated cable & satellite hookups
Χ	Х	Larger slam latch baggage doors	Х	Χ	Furrion marine-grade detachable power cord
	2000	w/magnetic catches	Х	Χ	Motion-activated pass-thru storage light
Χ	Х	Heirloom comforter	X	Х	Hot & cold outside shower
X		Tucked rear bumper	X	Χ	Keyed-Alike key system
Х	Х	Fiberglass slide out end walls	X	Х	Venture bottle opener/dog tie-out
Х	Х	4,000 high-gloss Aztec Grey fiberglass	X	Χ	Solid flip-up step
Χ	Х	Pet defender screen protector	Х	Х	Swing-away grab handle
		-	X	Χ	Screen Shot spring screen door
			Х	Χ	LED lighted power awning
-	WEATHER-SHIELD PACKAGE				
	Х	Forced-air heated & enclosed underbelly			
	Х	360° residential fiberglass insulation			
	Х	360° radiant foil insulation			
	Х	Radiant foil bubble insulation-wrapped tanks			
		(360° = roof, floor, front/rear walls)			
		(accompany) and manay			





Sonic optimizes every possible opportunity to offer virtually unlimited storage.



SONIC

Standard: 8 CU FT double-door electric refrigerator Option: 7 CU FT gas/electric refrigerator

SONIC LITE

8.0 XL Luxury Opt.: 8 CU FT 12 volt refrigerator 7.0 XL Luxury Opt.: 7 CU FT

gas/electric refrigerator



Safe Tek box provides a hidden charging station with USB and 110V outlets. (Sonic & Sonic Lite VBF)

SONIC	SONIC		SONIC LITE	SONIC	OPTIONS	
INTERIOR LUXURY PKG	INTERIOR PACKAGE		INT & EXT OPTIONS	INT & EXT OPTIONS		
Х	Х	StorMore bedside nightstand(s) (CPAP sized)	Х	Х	LevelMate PRO leveling system*	
		w/110V outlet & USB charging	Х	Χ	Lighted power tongue jack*	
X		Convection microwave	Х		Spare tire/carrier/cover**	
	Х	Microwave		Χ	High-polished aluminum rims***	
X		2-burner cooktop	Х	Х	LED TV w/swing arm	
	Х	Furion oven w/ 3-burner cooktop & glass cover		Χ	13,000 BTU A/C	
X	Х	6 GAL gas/electric DSI water heater		Х	15,000 BTU A/C	
X	Х	Vented range hood		Χ	Murphy bed w/sofa (N/A 231s or 241VFK)	
X	Х	Safe Tek box w/110V & USB charging ports		Х	7 CUFT gas/electric refrigerator	
Х	Х	Motion-activated interior entry light	Х	Χ	Swing-away bumper-mount griddle	
X	Х	Beauflor residential linoleum	Х	Х	A-frame bike rack	
Х	Х	Skylight in living area	Х	Χ	Furrion observation/backup camera	
X	Х	LED lighting w/individual controls	Х	Χ	Off-the-Grid solar PKG (1) panel (rigid 100W)	
X	Х	82" ceiling height			& control	
Х	Х	Power exhaust fan in bathroom	Х	Χ	Off-road tires	
Х	Х	Shoe cubby (VBF)			*Included in BOTH Sonic Lite Blast Package 1.4	
Х	Х	Cutting board			& Sonic Discovery Package 1.4	
Х	Х	Surf(x) seamless countertops and tabletops			** Included in Sonic Lite Blast Package 1.4	
Х	Х	Porcelain foot-flush toilet			***Included in Sonic Discovery Package 1.4	
-	HIGHWAY PACKAGE		8.0 XL LUXURY PKG (OPT)	SONIC LITE		
	Х	Spare/carrier/cover	Х	8 CU FT 12 V re	efrigerator	
	Х	Black tank flush	Χ	13.5 low profile Coleman Mach III		
	Х	Bottle covers		roof-mou	nted A/C	
			7.0 XL LUXURY PKG (OPT)	7 SONIC LITE 7 CU FT gas/electric refrigerator 13.5 low profile Coleman Mach III roof-mounted A/C		
		_	Х			
			Х			



Large & deep single bowl stainless steel farmers sink with drying rack cover. (Sonic)



Skylight offers plenty of natural light.



Sonic's LevelMate wireless leveling system calculates a perfect level position without time-consuming guesswork. (Sonic & Sonic Lite)



Sonic features a glass-topped, flush-mounted, 3-burner cooktop with oven. (Sonic)



Sonic and Sonic Lite feature a custom Venture RV cutting board.



Media Center includes HDMI/DVD stereo with 5.1 USB charger. (Sonic & Sonic Lite)

EXTERIOR FEATURES





All Sonics feature a solid flip-up step and friction-hinged entry door with Screen Shot screen door.







The handy bottle opener can also be used as a pet-friendly tie down.



Standard outside shower provides both hot and cold water.



NG FRAME

The NXG Frame is a superior quality, highly engineered frame that provides customers with a strong, lightweight, consistent foundation on which to build.



SONIC LITE CONSTRUCTION



SONIC CONSTRUCTION



LevelMate PRO makes it possible for you to level your trailer on the first try! This option calculates and displays the height required to achieve a perfectly level position.



Sonic's Weather Shield features a radiant foil barrier, forced heat, enclosed underbelly, and enclosed gate valves (Sonic only).









985 N 900 W | Shipshewana, IN 46565 | www.venture-rv.com

Due to continual research and advances, manufacturer reserves the right to change specifications, design, price, and equipment without notice, and assumes no responsibility for any error in this literature.

Some items shown are not included as standard or optional equipment.

©2022 Venture | 00/00/22 | 00M